


	NO.	CONSULTANT ENGINEE	ERS							PROJECT TITLE	OWNER		SHEET TITLE	DATE	07.31.2020		SHEET NO.
IENT ISSUE													TOILET FLOOR PLAN AND REFLECTED	JOB	FN-002-16		A.500
										PROPOSED INTERIOR RENOVATION		MR. MIGUEL CARLO PALAD NABOR	CEILING PLAN	SCALE	VERIFY		A.500
												FALAD NABOR		DRAWN	FN	APPROVED FN	00
		1		FERDIN	NAND VELASCO		1		1	PROJECT LOCATION	BUILDER	2		CAD REF			REVISION NUMBER
		STRUCTURAL ENGINEER		STRUCTURAL ENGINEER ELECTRICAL ENGINEER SANITARY ENGINEER			MECH	IANICAL ENGINEER	NORTH TOWER, SHERIDAN TOWERS, SHERIDAN ST.,				© 2020				
		PRC NUMBER: - D	DATE ISSUED: -	PRC NUMBER: -	DATE ISSUED: -	PRC NUMBER:	DATE ISSUED:	PRC NUMBER:	DATE ISSUED:	MANDALUYONG CITY	,			-		BUILDING PERMIT	
		PTR NUMBER: - P	PLACE ISSUED: -	PTR NUMBER: -	PLACE ISSUED: -	PTR NUMBER:	PLACE ISSUED:	PTR NUMBER:	PLACE ISSUED:								

	TERIOR WALL WITH 25mm THK. PLASTER DES. PARTITION: ERIOR WALL WITH 25mm THK. PLASTER DES. PARTITION: WALL PARTITION DINARY GYPSUM BOARD ON STUDS PARTITION:	WT-01 UNIT PERIMETER WALLS: 200mm THK. EXTERIOR WAL					
	DES. PARTITION: ERIOR WALL WITH 25mm THK. PLASTER DES. PARTITION: WALL PARTITION DINARY GYPSUM BOARD ON STUDS PARTITION:						
	ERIOR WALL WITH 25mm THK. PLASTER DES. PARTITION: WALL PARTITION DINARY GYPSUM BOARD ON STUDS PARTITION:	FINISH BOTH SIDES.					
	PARTITION: ' WALL PARTITION DINARY GYPSUM BOARD ON STUDS PARTITION:	150mm THK. EXTERIOR WAL 100mm THK. CHB WITH 25mr					
	i STUDS PARTITION:	NT-03 INTERIOR WALL PARTITION: 100mm THK. DRY WALL PAR					
		METAL FRAMING STUDS					
		10mm THK. TEMPERED GLAS					
		OR INTERIOR SPACES FLOOR FINISH:					
101 101 101 101 101 1		FLOOR TILES MATTE FINISH					
	x 10mm THK. HOMOGENOUS	FF-02 300mm x 300mm x 10mm TH FLOOR TILE					
Image: Add Construction I	LOORING	PEBBLE WASH FLOORING					
BOD THE PART OF THE PART		100mm WIDE ENGINEERED W FLOOR FINISH:					
		RAISED FLOOR SYSTEM. SP EILING FINISHES:					
ATE SALE MAIL LARGE YOUR HINDER BOOK STATE AND THE SERVICE BOOK STATE AND THE SERVICE AND THE	SUM BOARD (FII ING IN WATER						
	.TEX PAINT FINISH ON LIGHT RAMING	BASED FLAT LATEX PAINT GAUGE STEEL FRAMING CEILING FINISH:					
Image: State Product State Stat	N WATER BASED FLAT LATEX I LIGHT GAUGE STEEL FRAMING	EIGHT BOARD CEILING IN WATER E PAINT FINISH ON LIGHT GAU CEILING FINISH:					
AD AD	WATER BASED FLAT LATEX	EIGHT SLAB SUFFIT IN WATER BA PAINT FINISH IALL FINISHES:	I				
B00 State Sta		WATER BASED FLAT LATE:					
800 WILE PRISE 410 Image: Second		WF-02 WALL FINISH:					
419 410 4110 4110 <td< td=""><td>LAMINATE ON 12mm THK</td><td>WALL FINISH: 1mm THK WOOD LAMINATE</td><td></td><td></td><td> /</td><td>800</td><td></td></td<>	LAMINATE ON 12mm THK	WALL FINISH: 1mm THK WOOD LAMINATE			/	800	
		WF-04 WALL FINISH:					///
4.10 → → → ↓ ↓ <		MEDIUM-DENSITY FIBERBOA					
ACCESS PANEL FOR WATER HEATER ON PLENUM 190 THK MOISTURE RESISTANT GYPSUM DO ON LICHT GAUGE STELL FRAMING 12200mn CEILING HEIGHT) 06 100 340 100 100 100 <	TESSED I ED DOWNLIGHT	OR INTERIOR SPACES			ly ly	410	
ACCESS PANEL FOR WATER HEATER ON PLENUM THK MOISTURE RESISTANT GVPSUM DO LIGHT GAUGE STIELL FRAMING (200mm Cell ING HEIGHT) 00 34.0 00 00 34.0 00 00 00 00 00 00 00 00 00 00 00 00 0							-
WATER HEATER ON PLENUM WILL MAPP WILL MAPP WILL MAPP		\mathbf{X}			190 J	SS PANEL FOR	∣ —∦ A
THK MOISTURE RESISTANT GYPSUM 12400mm CEILING HEIGHT 12400mm CEILING HEIGHT 100 340 100 100 100 100 100 100 100 1		UL					W
THK MOISTURE RESISTANT GYPSUM DO IN LIGHT GAUGE STELL FRAMING (2400mm CEILING HEIGHT)	INTED TASK LIGHT						
THK MOISTURE RESISTANT GYPSUM 10 ON LIGHT GAUGE STEEL FRAMING (2400mm CEILING HEIGHT)	ΤΕΓΤΟΡ						
DD NLICHT GAUGE STEEL FRAMING 12400mm CEILING HEIGHT) 100 340 100 340 100 100 340 100							
(2400mm CEILING HEIGHT) 0 100 340 100 340 100 340 100 340 100 340 100 340 100 340 100 340 100 340 100 340 100 340 100 100 1)W SPRINKLER	s Side Throw Sprinkl		390			
340 06 00 340 00 06 00 07 00 07 00 07 01 07 02 07 03 07 04 07 05 07 06 07 07 07 08 08 09 07 </td <td>OLS:</td> <td>OWER AND AUXILIARY SYMBOLS: OR INTERIOR SPACES</td> <td></td> <td>~</td> <td></td> <td></td> <td></td>	OLS:	OWER AND AUXILIARY SYMBOLS: OR INTERIOR SPACES		~			
100 34.0 06 0 0 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
9 Image: Constraint of the second secon		ELECTRIC WATER HEATER	06		340	× 100	
B C			19				<u>.</u>
PB PAREL BOARD MINDOW TYPE AIRCON MINDOW TYPE AIRCON WAL WINDOW TYPE AIRCON WAL WINDOW TYPE AIRCON WAL WALL MOUNTED EXHAUST WALL WALL MOUNTED FCU WALL WALL MOUNTED FCU WALL WALL MOUNTED FCU WALL WALL MOUNTED FCU	LET						1 10
PB PANEL BOARD MECHANICAL SYMBOLS: FOR INTERIOR/EXTERIOR SPACES WAC WINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU ↓↓↓ ACCU AC CONDENSING UNIT							0
POR INTERIOR/EXTERIOR SPACES WAC WAC WAC WAC WAC WAC WAC WAC </td <td></td> <td>PB PANEL BOARD</td> <td></td> <td></td> <td></td> <td></td> <td>25</td>		PB PANEL BOARD					25
CEILING MOUNTED EXHAUST WALL MOUNTED FCU ACCU AC CONDENSING UNIT	CES		*				,
OF WALL MOUNTED FCU ACCU AC CONDENSING UNIT	AIRCON	WAC WINDOW TYPE AIRCON		150			
ACCU AC CONDENSING UNIT	ED EXHAUST	CEILING MOUNTED EXHAUS	★ 			、 、	
ACCU AC CONDENSING UNIT	D FCU	WALL MOUNTED FCU					\mathbf{X}
	G UNIT			450		\times	
						/	
			~ ~ !	\			
						700	
					⊦∤ 		

LEGENDS & SYMBOLS DEMOLITION PLAN WALL TYPES:

UNIT PERIMETER WALL PARTITION: RETAIN ALL PERIMETER WALLS


UNIT INTERIOR WALL PARTITION: WALLS TO BE RETAINED UNIT INTERIOR WALL PARTITION: WALLS TO BE DEMOLISHED



DATE ISSUED: 01.13.2015


PLACE ISSUED: MANDALUYONG CITY

	N0.	CONSULTANT ENGINE	ERS							PROJECT TITLE	OWNER		SHEET TITLE	DATE 07.	.31.2020	SHEET NO.
CLIENT ISSUE													TOILET ELEVATIONS A	JOB FN	-002-16	A E01
										PROPOSED INTERIOR RENOVATION		MR. MIGUEL CARLO	TOILET ELEVATIONS B	SCALE VE	RIFY	A.501
												PALAD NABOR		DRAWN FN	APPROVED FN	00
				FERDIN	NAND VELASCO		-		-	PROJECT LOCATION	BUILDER			CAD REF		REVISION NUMBER
		STRUCTURAL	ENGINEER	ELECT	RICAL ENGINEER	SAN	NITARY ENGINEER	MECH	IANICAL ENGINEER	NORTH TOWER, SHERIDAN TOWERS, SHERIDAN ST.,				© 2020		
		PRC NUMBER: - E	DATE ISSUED: -	PRC NUMBER: -	DATE ISSUED: -	PRC NUMBER:	DATE ISSUED:	PRC NUMBER:	DATE ISSUED:	MANDALUYONG CITY					BUILDING PERMIT	
		PTR NUMBER: - F	PLACE ISSUED: -	PTR NUMBER: -	PLACE ISSUED: -	PTR NUMBER:	PLACE ISSUED:	PTR NUMBER:	PLACE ISSUED:							




- r - t

	& SYMBOLS
DEMOLITION F	
	UNIT PERIMETER WALL PARTITION: RETAIN ALL PERIMETER WALLS
	UNIT INTERIOR WALL PARTITION: WALLS TO BE RETAINED
	UNIT INTERIOR WALL PARTITION: WALLS TO BE DEMOLISHED
WALL TYPES:	
WT-01	UNIT PERIMETER WALLS: 200mm THK. EXTERIOR WALL
	150mm THK. CHB WITH 25mm THK. PLASTER FINISH BOTH SIDES.
WT-02	INTERIOR WALL PARTITION: 150mm THK. EXTERIOR WALL
	100mm THK. CHB WITH 25mm THK. PLASTER
	FINISH BOTH SIDES. INTERIOR WALL PARTITION:
WT-03	100mm THK. DRY WALL PARTITION 2-12mm THK. ORDINARY GYPSUM BOARD ON
	METAL FRAMING STUDS
WT-04	INTERIOR WALL PARTITION: 10mm THK. TEMPERED GLASS PARTITION
FLOOR FINIS	
FOR INTERIC	PR SPACES
FF-01	600mm x 600mm x 10mm THK. HOMOGENOUS
	FLOOR TILES MATTE FINISH FLOOR FINISH:
FF-02	300mm x 300mm x 10mm THK. HOMOGENOUS FLOOR TILE
FF-03	FLOOR FINISH:
FF-04	PEBBLE WASH FLOORING FLOOR FINISH:
	100mm WIDE ENGINEERED WOOD PLANKS
FF-05	FLOOR FINISH: 130mm x 30mm COMPOSITE WOOD DECK ON
CEILING FINI	RAISED FLOOR SYSTEM. SPACED @ 10mm EA SHES:
FOR INTERIC	R SPACES
CF-01	CEILING FINISH: 12mm THK. GYPSUM BOARD CEILING IN WATEI
	BASED FLAT LATEX PAINT FINISH ON LIGHT GAUGE STEEL FRAMING
	CEILING FINISH:
CF-02 HEIGHT	12mm THK. MOISTURE RESISTANT GYPSUM BOARD CEILING IN WATER BASED FLAT LATE
	PAINT FINISH ON LIGHT GAUGE STEEL FRAMII
CF-03	CEILING FINISH: SLAB SOFFIT IN WATER BASED FLAT LATEX
HEIGHT	PAINT FINISH : S:
FOR INTERIOR	
WF-01	WALL FINISH: WATER BASED FLAT LATEX PAINT FINISH,
	COLOR TO BE APPROVED BY THE ARCHITECT
WF-02	WALL FINISH: 600mm x 600mm x 10mm THK. HOMOGENOUS T
WF-03	WALL FINISH:
	1mm THK WOOD LAMINATE ON 12mm THK MEDIUM-DENSITY FIBERBOARD (MDF)
WF-04	WALL FINISH:
	6mm THK MIRROR ON 12mm THK MEDIUM-DENSITY FIBERBOARD (MDF)
	IBOLS:
FOR INTERIOR	SPACES
DL	CEILING RECESSED LED DOWNLIGHT
⊠ DL	SURFACE MOUNTED LED DOWNLIGHT
	LED STRIP LIGHT
UL	SURFACE MOUNTED UPLIGHT
wLG	WALL LAMP
with the second	WALL MOUNTED TASK LIGHT
í des	SWITCH
SD 🖉 SD	SMOKE DETECTOR
6	
s s	PENDANT TYPE SPRINKLER
∳s ⊢∳s	PENDANT TYPE SPRINKLER SIDE THROW SPRINKLER
POWER AND A	SIDE THROW SPRINKLER
	SIDE THROW SPRINKLER
POWER AND A	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: 2-WIRE CONVENIENCE OUTLET
	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: & SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET
	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: 2-WIRE CONVENIENCE OUTLET
	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: & SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET
	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: & SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET
POWER AND A FOR INTERIOR HT EWH HT EWH	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: & SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET
POWER AND A FOR INTERIOF HT EWH HT EHT	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET TELEPHONE OUTLET
POWER AND A FOR INTERIOF HT EWH HT EHT	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET TELEPHONE OUTLET CHIME
POWER AND A FOR INTERIOF CHT EWH HT CHT CH CH PB MECHANICAL	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET AC OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS:
POWER AND A FOR INTERIOF CHT EWH HT CHT CH CH PB MECHANICAL	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET LECTRIC WATER HEATER OUTLET AC OUTLET LELEPHONE OUTLET CHIME DOORBELL PANEL BOARD
POWER AND A FOR INTERIOF CHT EWH HT CHT CH CH PB MECHANICAL	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET ELECTRIC WATER HEATER OUTLET AC OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS:
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET LECTRIC WATER HEATER OUTLET AC OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: CXTERIOR SPACES WINDOW TYPE AIRCON
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.COUTLET 5.WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VEXTERIOR SPACES
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET LECTRIC WATER HEATER OUTLET AC OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: CXTERIOR SPACES WINDOW TYPE AIRCON
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.COUTLET 5.WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.COUTLET 5.WIRE REF/RANGECONVENIENCE OUTLET AC OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR TO HT TEL TEL CH PB MECHANICAL FOR INTERIOR WAC TO INTERIOR	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR FOR INTERIOR HT FHT TEL CH PB MECHANICAL FOR INTERIOR WAC	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU
POWER AND A FOR INTERIOR FOR INTERIOR HT FHT TEL CH PB MECHANICAL FOR INTERIOR WAC	SIDE THROW SPRINKLER AUXILIARY SYMBOLS: SPACES 2-WIRE CONVENIENCE OUTLET 4.ECTRIC WATER HEATER OUTLET 3-WIRE REF/RANGECONVENIENCE OUTLET 4.C OUTLET TELEPHONE OUTLET CHIME DOORBELL PANEL BOARD SYMBOLS: VINDOW TYPE AIRCON CEILING MOUNTED EXHAUST WALL MOUNTED FCU



PLACE ISSUED: MANDALUYONG CITY



02 A.502 TOILET ELEVATION D

	NO.	CONSULTANT	ENGINEERS							PROJECT TITLE OWNE	R	SHEET TITLE	DATE	07.31.2020		SHEET NO.
LIENT ISSUE												TOILET ELEVATIONS C TOILET ELEVATIONS D	JOB	FN-002-16		A 500
										PROPOSED INTERIOR RENOVATION	MR. MIGUEL CARLO		SCALE	VERIFY	IFY	A.502
											PALAD NABOR		DRAWN	FN	APPROVED FN	00
		- FERDINAND VELASCO						-	PROJECT LOCATION BUILD	ER		CAD REF			REVISION NUMBER	
		STRUCTURAL ENGINEER		ELECTRICAL ENGINEER		SA	SANITARY ENGINEER	MECH	HANICAL ENGINEER	NORTH TOWER, SHERIDAN TOWERS, SHERIDAN ST.,			(C) 2020			_ L
		PRC NUMBER: -	DATE ISSUED: -	PRC NUMBER: -	DATE ISSUED: -	PRC NUMBER:	DATE ISSUED:	PRC NUMBER:	DATE ISSUED:	MANDALUYONG CITY			Ŭ		BUILDING PERMIT	
		PTR NUMBER: -	PLACE ISSUED: -	PTR NUMBER: -	PLACE ISSUED: -	PTR NUMBER:	PLACE ISSUED:	PTR NUMBER:	PLACE ISSUED:							

		WALLS TO BE DEMOLISHED
		WALL TYPES: UNIT PERIMETER WALLS: 200mm THK. EXTERIOR WALL
		150mm THK. CHB WITH 25mm THK. PLASTER FINISH BOTH SIDES.
		WT-02 INTERIOR WALL PARTITION: 150mm THK. EXTERIOR WALL 100mm THK. CHB WITH 25mm THK. PLASTER FINISH BOTH SIDES.
		WT-03 INTERIOR WALL PARTITION: 100mm THK. DRY WALL PARTITION 2-12mm THK. ORDINARY GYPSUM BOARD ON
		METAL FRAMING STUDS WT-04 INTERIOR WALL PARTITION:
		T0mm THK. TEMPERED GLASS PARTITION FLOOR FINISHES:
		FOR INTERIOR SPACES
		FF-01 600mm x 600mm x 10mm THK. HOMOGENOUS FLOOR TILES MATTE FINISH
		FLOOR FINISH: 300mm x 300mm x 10mm THK. HOMOGENOUS FLOOR TILE
		FLOOR FINISH: PEBBLE WASH FLOORING
		FF-04 FLOOR FINISH: 100mm WIDE ENGINEERED WOOD PLANKS
		FLOOR FINISH: 130mm x 30mm COMPOSITE WOOD DECK ON RAISED FLOOR SYSTEM. SPACED @ 10mm EACH
		CEILING FINISHES: FOR INTERIOR SPACES
		CEILING FINISH: 12mm THK GYPSUM BOARD CEILING IN WATER
		HEIGHT BASED FLAT LATEX PAINT FINISH ON LIGHT GAUGE STEEL FRAMING CEILING FINISH:
		CF-02 HEIGHT 12mm THK. MOISTURE RESISTANT GYPSUM BOARD CEILING IN WATER BASED FLAT LATEX PAINT FINISH ON LIGHT GAUGE STEEL FRAMING
		CEILING FINISH: SLAB SOFFIT IN WATER BASED FLAT LATEX PAINT FINISH
		WALL FINISHES: FOR INTERIOR SPACES
		WF-01 WALL FINISH: WATER BASED FLAT LATEX PAINT FINISH,
		COLOR TO BE APPROVED BY THE ARCHITECT WALL FINISH: 600mm x 600mm x 10mm THK. HOMOGENOUS TILE
		WF-03 WALL FINISH: 1mm THK W00D LAMINATE ON 12mm THK MEDIUM-DENSITY FIBERBOARD (MDF)
	— 12mm THK MOISTURE RESISTANT GYPSUM BOARD ON LIGHT GAUGE	WF-04 WALL FINISH: 6mm THK MIRROR ON 12mm THK MEDIUM-DENSITY FIBERBOARD (MDF)
	STEEL FRAMING (2500mm CEILING HEIGHT)	LIGHTING SYMBOLS: FOR INTERIOR SPACES
		DL CEILING RECESSED LED DOWNLIGHT
		DL SURFACE MOUNTED LED DOWNLIGHT LED STRIP LIGHT
		SURFACE MOUNTED UPLIGHT
		WLCH WALL LAMP
		WALL MOUNTED TASK LIGHT
		^os switch
		SD SMOKE DETECTOR
		S PENDANT TYPE SPRINKLER
		S SIDE THROW SPRINKLER
		POWER AND AUXILIARY SYMBOLS: FOR INTERIOR SPACES
		$\bigoplus_{HT} 2 \text{-WIRE CONVENIENCE OUTLET}$ $\bigoplus_{EWH} ELECTRIC WATER HEATER OUTLET$
		$ \begin{array}{c} & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & $
	MATTE WHITE LAMINATE FINISH	AC OUTLET
		TEL TELEPHONE OUTLET
		СН СНІМЕ
		DOORBELL PB PANEL BOARD
		MECHANICAL SYMBOLS:
		FOR INTERIOR/EXTERIOR SPACES
		WAC WINDOW TYPE AIRCON
		CEILING MOUNTED EXHAUST
		WALL MOUNTED FCU
		ACCU AC CONDENSING UNIT
	—600x600x10mm THK HOMOGENOUS TILES MATTE FINISH	
	HUHUULINUUS HELS HATTE HINISH	
	— 600x100x10mm THK HOMOGENOUS TILE BASEBOARD ALL AROUND	
	MATTE FINISH	
. 4		
IER	SHEET TITLE DATE	07.31.2020 SHEET NO.

LEGENDS & SYMBOLS DEMOLITION PLAN WALL TYPES:

UNIT PERIMETER WALL PARTITION: RETAIN ALL PERIMETER WALLS UNIT INTERIOR WALL PARTITION: WALLS TO BE RETAINED WALLS TO BE DEMOLISHED